AUTHOR INDEX

1984, Volume 52

ABDON N-J (& Landin K, Johansson B W) Athlete's bradycardia as an embolising disorder? Symptomatic arrhythmias in patients aged less than 50 years 660

ABITBOL G *see* Veyrat C *et al*

AKHRAS F (& Upward J, Keates J, Jackson G) Early exercise testing and elective coronary artery bypass surgery after uncomplicated myocardial infarction. Effect on morbidity and mortality 413

ALFS B *see* Griebenow R *et al*

ALLAN L D (& Crawford D C, Anderson R H, Tynan M J) Echocardiographic and anatomical correlations in fetal congenital heart disease 542

—— (& Tynan M) Evolution of coarctation of the aorta in intrauterine life: case report 471

ALLEN D C (& Doherty C C, O'Reilly D P J) Pathology of the heart and the cardiac conduction system in Wegener's granulomatosis 674

ALMEIDA P (& Córdoba M, Goicolea J, Antolín R H, Rico L A, Rey M, Rábago P, Rábago G) Relation of midwall circumferential systolic stress to equatorial midwall fibre shortening in chronic aortic regurgitation. Value as a predictor of postoperative outcome 284

ALPAN G (& Grenadier E, Palant A) Chordal rupture: aetiology and natural history: correspondence 595

AMERY A *see* Fagard R *et al*

ANDERSON R H *see* Allan L D *et al*
Macartney F *et al*
Robinson P J *et al*

ANDERSON V *see* Brown A K *et al*

ANGELHED J-E (& Bjurö T I, Ejdebäck J, Selin K, Schlossman D, Griffith L S C, Bergstrand R, Vedin A, Wilhelmsson C) Computer aided exercise electrocardiographic testing and coronary arteriography in patients with angina pectoris and with myocardial infarction 140

ANTOLÍN R H *see* Almeida P *et al*

ANTONACCIO M J (& Lessem J N, Soyka L F) Sotalol, hypokalaemia, syncope, and torsade de pointes: correspondence 358

ARNTZENIUS A C *see* Engbers J G *et al*

ASHERSON R A *see* Morgan S H *et al*

ASHIHARA T *see* Imaizumi T *et al*

ASSIMACOPOULOS A *see* de Lorgeril M *et al*

ATKINSON L *see* Daly K *et al*

AUBERT A *see* Fagard R *et al*

BAANDRUP U *see* Bagger J P *et al*

BACKMAN C *see* Eriksson P *et al*

BAGGER J P (& Baandrup U, Rasmussen K, Møller M, Vesterlund T) Cardiomyopathy in western Denmark 327

— *see also* Rasmussen K *et al*

BAILEY S M *see* Fitzgerald W R *et al*

BAKER E J (& Jones O D H, Joseph M C, Maisey M N, Tynan M J) Radionuclide measurement of left ventricular ejection fraction in tricuspid atresia 572

— (& Malamitsi J, Jones O D H, Maisey M N, Tynan M J) Use of radionuclide labelled microspheres to show the distribution of the pulmonary perfusion with multifocal pulmonary blood supply 72

BALCON R (& Brooks N, Layton C) Correlation of heart rate/ST slope and coronary angiographic findings 304

BALL S G *see* Cleland J G F *et al*

BAN M *see* Ogawa K *et al*

BARLOW J B *see* McKibbin J K *et al*

BAS S *see* Veyrat C *et al*

BELCH J J F *see* Hutchison S J & Belch J J F

BELL J *see* Channer K S *et al*

BELZ G G *see* Stern H C *et al*

BENDITT D G *see* Dunnigan A *et al*

BENHAIEM N *see* Geschwind H J *et al*

BENNETT D H *see* Molajo A O *et al*
Ward D E *et al*

BENSON D W *see* Dunnigan A *et al*

BEPPU S *see* Nagata S *et al*

BERGFELDT L *see* Edhag O *et al*

BERGMAN G *see* Daly K *et al*
Kenny J *et al*

BERGSTRAND R *see* Angelhed J-E *et al*

BERRY C L *see* Greenwald S E & Berry C L

BEXTON R S *see* Nathan A W *et al*

BITTOUN R *see* Geschwind H J *et al*

BJERLE P *see* Eriksson P *et al*

BJURÖ T I *see* Angelhed J-E *et al*

BLANKE H *see* Cohen M *et al*

BLEVINS L *see* Kramer P H *et al*

BLIEDEN L C (& Moller J H) Small ventricular septal defect associated with severe pulmonary hypertension: case report 117

BONNIER H *see* El Gamal M *et al*

BOS R J *see* Fioretti P *et al*

BOULTON F E *see* Walker W S *et al*

BOUSSIGNAC G *see* Geschwind H J *et al*

BOWLES M J *see* Lahiri A *et al*

BRAVO E L *see* Mujais S K *et al*

BRITISH CARDIAC SOCIETY Cardiac transplantation in the United Kingdom: report from the Council of the British Cardiac Society (November 1983) 679

BROOKS N *see* Balcon R *et al*

BROWER R W *see* Fioretti P *et al*

BROWN A K (& Wiersum J C, Anderson V) QT interval: predictor of the plasma and myocardial concentrations of amiodarone: correspondence 240

BROWNLEE W C *see* Foster C J *et al*

BRUMANA T *see* Rizzoli G *et al*

BUIS B *see* Drost H *et al*

BULL C *see* Presbitero P *et al*

BULLABOY C A (& Harned HS) Aortic atresia with double inlet left ventricle, rudimentary left sided right ventricle, and ventriculoarterial discordance: case report 349

CABRERA A (& Martinez P, del Campo A) Intrapericardial haematic cyst. A rare form of left superior vena cava atresia: case report 352

CAMM A J *see* Nathan A W *et al*
Ward D E *et al*

CAMPBELL S *see* Timmis A D *et al*

CAMPO A DEL *see* del Campo A

CAPUANI A *see* Kay P H *et al*

CASHMAN P M M *see* Davies A B *et al*

CECCHI F (& Zuppiroli A, Manetti A) Transient asymmetric ventricular septal hypertrophy in the newborn unassociated with maternal diabetes: case report 228

CEDERHOLM-WILLIAMS S *see* O'Connor N T J *et al*

CHANNER K S (& Bell J, Virjee J P) Effect of left atrial size on the oesophageal transit of capsules 223

CHARLES R G *see* Ramsdale D R & Chalres R G

Chatterjee K *see* Kramer P H *et al*

Cleland J G F (& Dargie H J, Hodsman G P, Ball S G, Robertson J I S, Morton J J, East B W, Robertson I, Murray G D, Gillen G) Captopril in heart failure. A double blind controlled trial 530

Cohen M (& Blanke H, Karsh K R, Holt J, Rentrop P) Implications of precordial ST segment depression during acute inferior myocardial infarction. Arteriographic and ventriculographic correlations during the acute phase 497

Coltart D J *see* Wilmshurst P T *et al*

Contini G M *see* Terrosu P *et al*

Copper S *see* O'Connor N T J *et al*

Córdoba M *see* Almeida P *et al*

Cotter L *see* O'Connor N T J *et al*

Coupe M O *see* Molajo A O *et al*

Cowan J C (& Patrick D, Reid D S) Aortic root abscess complicating bacterial endocarditis. Demonstration by computed tomography: case report 591

Crawford D C *see* Allan L D *et al*

Crawley J C W *see* Lahiri A *et al*

Culling W (& Ruttley M S M, Sheridan D J) Acute haemodynamic effects of felodipine during beta blockade in patients with coronary artery disease 431

Curran D *see* Kramer P H *et al*

Daliento L *see* Rizzoli G *et al*

Daly K (& Richardson P J, Bergman G, Atkinson L, Kerkez S, Jewitt D E) Effect of timolol maleate on pacing induced myocardial ischaemia 628

— *see also* Kenny J *et al*

Dancy M (& Gaitonde M K, Maxwell J D) Shoshin beriberi: a rare diagnostic problem: correspondence 688

— (& Leech G, Leatham A) Changes in echocardiographic left ventricular minor axis dimensions during exercise in patients with aortic stenosis 446

Dargie H J *see* Cleland J G F *et al*

Das S K *see* Fioretti P *et al*

Davidson I A *see* Walker W S *et al*

Davies A B (& Gould B A, Cashman P M M, Raftery E B) Circadian rhythm of blood pressure in patients dependent on ventricular demand pacemakers 93

Davies D W *see* Sullivan I D *et al*

Davies J *see* Gibbs J L *et al*

Dawson P *see* Hayward R & Dawson P

De Leval M R *see* Leoni F *et al*
Presbitero P *et al*

De Lorgeril M (& Friedli B, Assimacopoulos A) Factors affecting left ventricular function after correction of tetralogy of Fallot 536

Deanfield J E (& McKenna W J, Presbitero P, England D, Graham G R, Hallidie-Smith K) Ventricular arrhythmia in unrepaired and repaired tetralogy of Fallot. Relation to age, timing of repair, and haemodynamic status 77

— *see also* Ribeiro P *et al*
Robinson P J *et al*
Wyse R K H *et al*

Del Campo A *see* Cabrera A *et al*

Dickie S *see* Sugrue D D *et al*

Dickinson D F *see* Gerlis L M *et al*
Wilson N *et al*

Dixon A K *see* Stone D L *et al*

Doherty C C *see* Allen D C *et al*

Douglas J *see* Leoni F *et al*

Drost H (& Buis B, Haan D, Hillers J A) Cholesterol embolism as a complication of left heart catheterisation. Report of seven cases 339

Dunnigan A (& Pritzker M R, Benditt D G, Benson D W) Left threatening ventricular tachycardias in late survivors of surgically corrected tetralogy of Fallot 198

East B W *see* Cleland J G F *et al*

Eckstein R (& Gössner W, Rienmüller R) Primary malignant fibrous histiocytoma of the left atrium. Surgical and chemotherapeutic management: case report 354

Edhag O (& Bergfeldt L, Edvardsson N, Holmberg S, Rosenqvist M, Vallin H) Pacemaker dependence in patients with bifascicular block during acute anterior myocardial infarction 408

Edvardsson N *see* Edhag O *et al*

Ejdebäck J *see* Angelhed J-E *et al*

El Gamal M (& Bonnier H, Michels R, Heijman J, Stassen E) Percutaneous transluminal angioplasty of stenosed aortocoronary bypass grafts 617

Engbers J G (& Molhoek G P, Arntzenius A C) Shoshin beriberi: a rare diagnostic problem: correspondence reply 688

England D *see* Deanfield J E *et al*

Eriksson A *see* Eriksson P *et al*

Eriksson P (& Backman C, Bjerle P, Eriksson A, Holm S, Olofsson B-O) Non-invasive assessment of the presence and severity of cardiac amyliodosis. A study in familial amyloidosis with polyneuropathy by cross sectional echocardiography and technetium-99m pyrophosphate scintigraphy 321

Ernst E (& Matrai A) Effect of metoprolol on chest pain in acute myocardial infarction: correspondence 240

— — Ketanserin treatment in essential hypertension: correspondence 359

Erzengin F *see* Gerlis L M *et al*

Evans D W *see* Fitzgerald W R *et al*

Ewing D J (& Neilson J M M, Travis P) New method for assessing cardiac parasympathetic activity using 24 hour electrocardiograms 396

Eynde E V *see* Fagard R *et al*

Fagard R (& Aubert A, Staessen J, Eynde E V, Vanhees L, Amery A) Cardiac structure and function in cyclists and runners. Comparative echocardiographic study 124

— (& Fiocchi R, Lijnen P, Staessen J, Amery A) Ketanserin treatment in essential hypertension: correspondence reply 359

Fiocchi R *see* Fagard R *et al*

Fioretti P (& Brower R W, Simoons M L, Das S K, Bos R J, Wijns W, Reiber J H C, Lubsen J, Hugenholtz P G) Prediction of mortality in hospital survivors of myocardial infarction. Comparison of predischarge exercise testing and radionuclide ventriculography at rest 292

Fitzgerald W R (& Bailey S M, Evans D W) Prevalence of coronary artery disease in patients with isolated aortic valve stenosis: correspondence 689

Forfar J C (& Matthews D M, Toft A D) Delayed recovery of left ventricular function after antithyroid treatment. Further evidence for reversible abnormalities of contractility in hyperthyroidism 215

Foster C J (& Sekiya T, Brownlee W C, Griffin J F, Isherwood I) Computed tomographic assessment of left ventricular aneurysms 332

— — — — Computed tomographic assessment of coronary artery bypass grafts 24

Fouad F M *see* Mujais S K *et al*

Franceschino V *see* Terrosu P *et al*

Franklin R *see* Robinson P J *et al*

Franks R E *see* Kay P H *et al*

Fraser A G Do patients want to be informed? A study of consent of cardiac catheterisation 468

Frescura C *see* Rizzoli G *et al*

Friedli B *see* de Lorgeril M *et al*
Oberhänsli I & Friedli B

Gaitonde M K *see* Dancy M *et al*

Gallucci V *see* Rizzoli G *et al*

Gammal M El *see* El Gamal M

Gerlis L M (& Gibbs J L, Williams G J, Thomas G D H) Coronary

sinus orifice atresia and persistent left superior vena cava. A report of two cases, one associated with atypical coronary artery thrombosis 648
— (& Wilson N, Dickinson D F, Scott O) Valvar stenosis in truncus arteriosus 440
— (& Wright H M, Wilson N, Erzengin F, Dickinson D F) Left ventricular bands. A normal anatomical feature 641
GERSHLICK A H (& Leech G, Mills P G, Leatham A) The loud first heart sound in left atrial myxoma 403
GESCHWIND H J (& Boussignac G, Teisseire B, Benhaiem N, Bittoun R, Laurent D) Conditions for effective Nd-YAG laser angioplasty 484
GIBBS J L (& Davies J, Qureshi S A) Coronary artery obstruction associated with congenital aortic valve disease: case report 585
— *see also* Gerlis L M *et al*
GIBSON D G *see* Moore R B *et al*
Shapiro L M *et al*
GIFFORD R W *see* Mujais S K *et al*
GILLEN G *see* Cleland J G F *et al*
GLOVER D R *see* Lowry P J *et al*
GODEHARDT E *see* Griebenow R *et al*
GOICOLEA J *see* Almeida P *et al*
GOLDBERG S J *see* Wilson N *et al*
GOODFELLOW R M *see* Petch M C *et al*
GOODWIN J F Cardiology at the crossroads: editorial 481
— *see also* Sugrue D D *et al*
GÖSSNER W *see* Eckstein R *et al*
GOULD B A *see* Davies A B *et al*
GOURTCHIGLOUIAN C *see* Veyrat C *et al*
GRAHAM G R *see* Deanfield J E *et al*
GREENWALD S E (& Berry C L) Modified Blalock-Taussig operation using polytetrafluoroethylene (Impra) grafts: correspondence 594
GRENADIER E *see* Alpan G *et al*
GRIEBENOW R (& Saborowski F, Godehardt E, Hossmann V, Alfs B) Effect of haemodynamic changes during rapid atrial pacing on determination of sinus node recovery time 87
GRIFFIN J F *see* Foster C J *et al*
GRIFFITH L S C *see* Angelhed J-E *et al*

HAAN D *see* Drost H *et al*
HACKETT D (& Hallidie-Smith K A) Spontaneous closure of coronary artery fistula: case report 477
HALLIDIE-SMITH K *see* Deanfield J E *et al*
HALLIDIE-SMITH K A *see* Hackett D & Hallidie-Smith KA
HANCOCK E W Prevalence of coronary artery disease in patients with isolated aortic valve stenosis: correspondence 689
HANDLER C E (& Sowton E) Diurnal variation and reproducibility of predischarge submaximal exercise testing after myocardial infarction 299
HARNED H S *see* Bullaboy C A & Harned H S
HART N *see* Mujais S K *et al*
HAWORTH S G Pulmonary vascular disease in different types of congenital heart disease. Implications for interpretation of lung biopsy findings in early childhood 557
HAWORTH S G *see* Juaneda E & Haworth S G
Presbitero P *et al*
HAYWARD R (& Dawson P) Contrast agents in angiocardiography: review 361
HEIJMAN J *see* El Gamal M *et al*
HERZOG C A (& Snover D C, Staley N A) Acute necrotising eosinophilic myocarditis 343
HESS J *see* Talsma M *et al*
HIDER C F *see* Walker W S *et al*
HILLERS J A *see* Drost H *et al*
HODSMAN G P *see* Cleland J G F *et al*
HOLM S *see* Eriksson P *et al*
HOLMBERG S *see* Edhag O *et al*
HOLT J *see* Cohen M *et al*
HOSSMANN V *see* Griebenow R *et al*
HOUSTON A *see* Pollock J C *et al*
HUGENHOLTZ P G *see* Fioretti P *et al*
HUGHES G R V *see* Morgan S H *et al*
HUHTA J C *see* Leoni F *et al*
HUNT D *see* Kertes P & Hunt D
HUTCHISON S J (& Belch J J F) Behçet's syndrome presenting as myocardial infarction with impaired blood fibrinolysis: case report 686

IBBA G V *see* Terrosu P *et al*
IHLEN H (& Myhre E, Smith H-J) Potential deleterious haemodynamic effects of glyceryl trinitrate on myocardial ischaemia in man 510
IMAIZUMI T (& Takeshita A, Ashihara T, Nakamura M, Tsuji S, Shibazaki H) Increase in reflex vasoconstriction with indomethacin in patients with orthostatic hypotension and central nervous system involvement 581
— — — (& Makino N, Ashihara T, Yamamoto K, Nakamura M) Impaired baroreflex control of vascular resistance and heart rate in acute myocardial infarction 418
IMAZEKI N *see* Mizuno K *et al*
ISHERWOOD I *see* Foster C J *et al*
ITO T *see* Ogawa K *et al*

JACKSON G *see* Akhras F *et al*
JAMES T N Sir Thomas Lewis redivivus: from pebbles in a quiet pond to autonomic storms 1
JENKINS B S *see* Wilmshurst P T *et al*
JEWITT D E *see* Daly K *et al*
Kenny J *et al*
Timmis A D *et al*
JOHANSSON B W *see* Abdon N-J *et al*
JONASSON R *see* Pehrsson S K *et al*
JONES O D H *see* Baker E J *et al*
JONES R I *see* Lahiri A *et al*
JONES T *see* Ribeiro P *et al*
JOSEPH M C *see* Baker E J *et al*
JUANEDA E (& Haworth S G) Pulmonary vascular structure in patients dying after a Fontan procedure. The lung as a risk factor 575
JULIAN D G *see* Saltissi S *et al*
JUUL S M *see* Wilmshurst P T *et al*

KADOTA K *see* Tamaki S *et al*
KALMANSON D *see* Veyrat C *et al*
KAMBARA H *see* Tamaki S *et al*
KARSH K R *see* Cohen M *et al*
KAWAI C *see* Tamaki S *et al*
KAY P H (& Franks R E, Capuani A, Lincoln C) Modified Blalock-Taussig operation using polytetrafluoroethylene (Impra) grafts: correspondence reply 594
KEATES J *see* Akhras F *et al*
KENNY J (& Daly K, Bergman G, Kerkez S, Jewitt D E) Beneficial effects of diltiazem in coronary artery disease 53
KENNY J F *see* Timmis A D *et al*
KERKEZ S *see* Daly K *et al*
Kenny J *et al*
KERTES P (& Hunt D) Prophylaxis of primary ventricular fibrillation in acute myocardial infarction. The case against lignocaine 241
— *see also* Saltissi S *et al*
KIRCH D L *see* Verheugt F W *et al*
KRAMER P H (& Chatterjee K, Schwartz A, Swedberg K, Rouleau J-L, Curran D, Blevins L, Parmley W W) Alterations in angina threshold with nifedipine during pacing induced angina 308
KRIKLER D M *see* Perelman M S *et al*
KUMPENG V *see* Robinson P J *et al*
KURITA A *see* Mizuno K *et al*

Lahiri A (& Bowles M J, Jones R I, Crawley J C W, Raftery E B) Assessment of left ventricular function in coronary artery disease with the nuclear probe during intervention studies 422
Landin K *see* Abdon N-J *et al*
Laurent D *see* Geschwind H J *et al*
Lavender J P *see* Sugrue D D *et al*
Layton C *see* Balcon R *et al*
Leatham A *see* Dancy M *et al*
Gershlick A H *et al*
Leech G *see* Dancy M *et al*
Gershlick A H *et al*
Lennox S *see* Redington A *et al*
Leoni F (& Huhta J C, Douglas J, Mackay R, de Leval M R, Macartney F J, Stark J) Effect of prostaglandin on early surgical mortality in obstructive lesions of the systemic circulation 654
Lessem J N *see* Antonaccio M J *et al*
Leval M R de *see* de Leval M R
Lunen P *see* Fagard R *et al*
Lincoln C *see* Kay P H *et al*
Lindenfeld J *see* Verheugt F W *et al*
Lins L-E *see* Pehrsson S K *et al*
Littler W A *see* Lowry P J *et al*
Logan-Sinclair R B *see* Shapiro L M *et al*
Lorgeril M de *see* de Lorgeril M
Lowry P J (& Glover D R, Mace P J E, Littler WA) Coronary disease in Asians in Birmingham 610
Lubsen J *see* Fioretti P *et al*

Macartney F J (& Rigby M L, Anderson R H, Stark J, Silverman N H) Double outlet right ventricle. Cross sectional echocardiographic findings, their anatomical explanation, and surgical relevance 164
— *see also* Leoni F *et al*
Robinson P J *et al*
Wyse R K H *et al*
McCue J *see* Redington A *et al*
Mace P J E *see* Lowry P J *et al*
Mackay R *see* Leoni F *et al*
McKenna W J *see* Deanfield J E *et al*
Sugrue D D *et al*
McKibbin J K (& Pocock W A, Barlow J B, Obel I W P) Sotalol, hypokalaemia, syncope, and torsade de pointes: correspondence reply 358
Maisey M N *see* Baker E J *et al*
Makino N *see* Imaizumi T *et al*
Malamitsi J *see* Baker E J *et al*
Manga P (& Vythilingum S, Mitha A S) Pulsatile hepatomegaly in constrictive pericarditis 465
Manetti A *see* Cecchi F *et al*
Martinez P *see* Cabrera A *et al*
Matrai A *see* Ernst E & Matrai A
Matthews D M *see* Forfar J C *et al*
Matthews J H *see* Stern H C *et al*
Maxwell J D *see* Dancy M *et al*
Mazzucco A *see* Rizzoli G *et al*
Medina N *see* Packer M *et al*
Michels R *see* El Gamal M *et al*
Miller G A H *see* Scott D J *et al*
Mills P G *see* Gershlick A H *et al*
Mitha A S *see* Manga P *et al*
Mizuno K (& Kurita A, Imazeki N) Pathological findings after percutaneous transluminal coronary angioplasty: case report 588
— *see also* Ogawa K *et al*
Molajo A O (& Coupe M O, Bennett D H) Effect of Corwin (ICI 118587) on resting and exercise heart rate and exercise tolerance in digitalised patients with chronic atrial fibrillation 392
Molhoek G P *see* Engbers J G *et al*
Moller J H *see* Blieden L C & Moller J H
Møller M *see* Bagger J P *et al*
Moore R B (& Shapiro L M, Gibson D G) Relation between electrocardiographic repolarisation changes and mechanical events in left ventricular hypertrophy 516
— *see also* Shapiro L M *et al*
Morgan S H (& Asherson R A, Hughes G R V) Distal aortitis complicating Reiter's syndrome: case report 115
Morton J J *see* Cleland J G F *et al*
Mujais S K (& Fouad F M, Textor S C, Tarazi R C, Bravo E L, Hart N, Gifford R W) Transient renal dysfunction during initial inhibition of converting enzyme in congestive heart failure 63
Murakami T *see* Tamaki S *et al*
Murray G D *see* Cleland J G F *et al*
Myers M J *see* Sugrue D D *et al*
Myhre E *see* Ihlen H *et al*

Nagata S (& Park Y-D, Nakanishi N, Beppu S, Sakakibara H, Nimura Y) Mitral valve abnormalities in patients with right ventricular pressure overload. Analysis by real time cross sectional echocardiography 186
Nakamura M *see* Imaizumi T *et al*
Nakanishi N *see* Nagata S *et al*
Nathan A W (& Bexton R S, Spurrell R A J, Camm A J) Internal transvenous low energy cardioversion for the treatment of cardiac arrhythmias 377
Neilson J M M *see* Ewing D J *et al*
Newcombe R G *see* Watt A H & Newcombe R G
Newman P *see* Rodger J C *et al*
Nimura Y *see* Nagata S *et al*
Nishimura M *see* Watanabe Y *et al*
Nohara R *see* Tamaki S *et al*

Oakley C M Prevalence of coronary artery disease in patients with isolated aortic valve stenosis: correspondence 689
— *see also* Ribeiro P *et al*
Sugrue D D *et al*
Oakley D Cardiac hypertrophy in athletes: editorial 121
Obel I W P *see* McKibbin J K *et al*
Oberhänsli I (& Friedli B) Cross sectional echocardiographic assessment of left ventricular volume and ejection fraction in patients with tetralogy of Fallot. Comparison with biplane angiographic measurements 191
O'Connor N T J (& Cederholm-Williams S, Copper S, Cotter L) Hypercoagulability and coronary artery disease 614
Ogawa K (& Shiozu H, Mizuno K, Ban M, Ito T, Satake T) Increased plasma cyclic nucleotide concentrations in congestive heart failure 524
Oliveira D B G Chordal rupture: aetiology and natural history: correspondence reply 595
— Coronary artery aneurysms and Kawasaki's disease in an adult: correspondence 480
Olofsson B-O *see* Eriksson P *et al*
O'Reilly D P J *see* Allen D C *et al*
Ormerod O *see* Petch M C *et al*

Packer M (& Medina N, Yushak M, Wiener I) Detrimental effects of verapamil in patients with primary pulmonary hypertension 106
Palant A *see* Alpan G *et al*
Parekh P *see* Rodger J C *et al*
Park Y-D *see* Nagata S *et al*
Parmley W W *see* Kramer P H *et al*
Patrick D *see* Cowan J C *et al*
Pedde D S T *see* Wyse R K H *et al*
Pehrsson S K (& Jonasson R, Lins L-E) Cardiac performance in various stages of renal failure 667
Peploe M M Webb *see* Webb-Peploe MM

PERELMAN M S (& Rowland E, Krikler D M) Assessment of a prototype implantable cardioverter for ventricular tachycardia. Relation between synchronisation of sensing and origin of the tachycardia 385
PETCH M C (& Wisbey C, Ormerod O, Scott C, Goodfellow R M) Acute haemodynamic effects of oral prenalterol in severe heart failure 49
— *see also* Stone D L *et al*
POCOCK W A *see* McKibbin J K *et al*
POLLOCK J C (& Shawkat S, Houston A) Mitral valve replacement in the first three months of life 549
PRESBITERO P (& Bull C, Haworth S G, de Leval M R) Absent or occult pulmonary artery 178
— *see also* Deanfield J E *et al*
PRITZKER M R *see* Dunigan A *et al*

QURESHI S A *see* Gibbs J L *et al*

RÁBAGO G *see* Almeida P *et al*
RAFTERY E B *see* Davies A B *et al*
Lahiri A *et al*
RAILTON R *see* Rodger J C *et al*
RAMSDALE D R (& Charles R G) Endocardial pacing in a patient with sinus node dysfunction and absent right superior vena cava: case report 230
RASMUSSEN K (& Thomsen P E B, Bagger J P) HV interval in calcific aortic stenosis. Relation to left ventricular function and effect of valve replacement 82
— *see also* Bagger J P *et al*
REDINGTON A (& McCue J, Lennox S) Coronary artery vein grafting in a case of Ehlers-Danlos syndrome: case report 237
REIBER J H C *see* Fioretti P *et al*
REID D S *see* Cowan J C *et al*
REID K G *see* Walker W S *et al*
RENTROP P *see* Cohen M *et al*
REY M *see* Almeida P *et al*
RIBEIRO P (& Shea M, Deanfield J E, Oakley C M, Sapsford R, Jones T, Walesby R, Selwyn A P) Different mechanisms for the relief of angina after coronary bypass surgery. Physiological versus anatomical assessment 502
RICHARDSON P J *see* Daly K *et al*
RICO L A *see* Almeida P *et al*
RIENMÜLLER R *see* Eckstein R *et al*
RIGBY M L *see* Macartney F J *et al*
Scott D J *et al*
RIZZOLI G (& Mazzucco A, Brumana T, Valfre C, Rubino M, Rocco F, Daliento L, Frescura C, Gallucci V) Operative risk of correction of atrioventricular septal defects 258
ROBERTSON I *see* Cleland J G F *et al*
ROBERTSON J I S *see* Cleland J G F *et al*
ROBINSON P J (& Sullivan I D, Kumpeng V, Anderson R H, Macartney F J) Anomalous origin of the left coronary artery from the pulmonary trunk. Potential for false negative diagnosis with cross sectional echocardiography 272
— (& Wyse R K H, Deanfield J E, Franklin R, Macartney F J) Continuous wave Doppler velocimetry as an adjunct to cross sectional echocardiography in the diagnosis of critical left heart obstruction in neonates 552
— — — (& Macartney F J) Significance of pulmonary valve prolapse. A cross sectional echocardiographic study 266
— *see also* Wyse R K H *et al*
ROCCO F *see* Rizzoli G *et al*
RODGER J C (& Railton R, Parekh P, Newman P) Effect of cold stimulation on myocardial perfusion. An investigation using thallium-201 scintigraphy 57
ROSENQVIST M *see* Edhag O *et al*
ROULEAU J-L *see* Kramer P H *et al*
ROWLAND E *see* Perelman M S *et al*
RUBINO M *see* Rizzoli G *et al*
RUTTLEY M S M *see* Culling W *et al*

SABOROWSKI F *see* Griebenow R *et al*
SAKAKIBARA H *see* Nagata S *et al*
SALTISSI S (& Kertes P J, Julian D G) Primary cardiac amyloidosis in a young man presenting with angina pectoris: case report 233
SAPSFORD R *see* Ribeiro P *et al*
SATAKE T *see* Ogawa K *et al*
SCHLOSSMAN D *see* Angelhed J-E *et al*
SCHWARTZ A *see* Kramer P H *et al*
SCOTT C *see* Petch M C *et al*
SCOTT D J (& Rigby M, Miller G A H, Shinebourne E A) The presentation of symptomatic heart disease in infancy based on 10 years' experience (1973–82). Implications for the provision of services 248
SCOTT O *see* Gerlis L M *et al*
Wilson N *et al*
SEKIYA T *see* Foster C J *et al*
SELIN K *see* Angelhed J-E *et al*
SELWYN A P *see* Ribeiro P *et al*
SHAPIRO L *see* Zezulka A *et al*
SHAPIRO L M Physiological left ventricular hypertrophy 130
— (& Moore R B, Logan-Sinclair R B, Gibson D G) Relation of regional echo amplitude to left ventricular function and the electrocardiogram in left ventricular hypertrophy 99
— (& Zezulka A) Hypertrophic cardiomyopathy: a common disease with a good prognosis: correspondence reply 119
— *see also* Moore R B *et al*
SHAWKAT S *see* Pollock J C *et al*
SHEA M *see* Ribeiro P *et al*
SHERIDAN D J *see* Culling W *et al*
SHIBAZAKI H *see* Imaizumi T *et al*
SHINEBOURNE E A Ethics of innovative cardiac surgery: editorial 597
— *see also* Scott D J *et al*
SHIOZU H *see* Ogawa K *et al*
SILVERMAN N H *see* Macartney F J *et al*
SIMOONS M L *see* Fioretti P *et al*
SINCLAIR R B LOGAN- *see* Logan-Sinclair R B
SINGH R N Progression of coronary atherosclerosis. Clues to pathogenesis for serial coronary arteriography 451
SINGH S *see* Zezulka A *et al*
SMITH H-J *see* Ihlen H *et al*
SMITH K A HALLIDIE- *see* Hallidie-Smith K A
SMYTH P *see* Timmis A D *et al*
SNOVER D C *see* Herzog C A *et al*
SOLOFF L A Morphological appearance of atherosclerotic lesions of the coronary arteries: correspondence 120
SOWTON E *see* Handler C E & Sowton E
Sullivan I D *et al*
SOYKA L F *see* Antonaccio M J *et al*
SPURRELL R A J *see* Nathan A W *et al*
STAESSEN J *see* Fagard R *et al*
STALEY N A *see* Herzog C A *et al*
STARK J *see* Leoni F *et al*
Macartney F J *et al*
STASSEN E *see* El Gamal M *et al*
STEELE P P *see* Verheugt F W *et al*
STERN H C (& Matthews J H, Belz G G) Influence of dihydralazine induced afterload reduction on systolic time intervals and echocardiography in healthy subjects 435
STONE D L (& Petch M C, Verney G I, Dixon A K) Computed tomography in patients with hypertrophic cardiomyopathy 136
SUGRUE D D (& McKenna W J, Dickie S, Myers M J, Lavender J P, Oakley C M, Goodwin J F) Relation between left ventricular gradient and relative stroke volume ejected in early and late systole in hypertrophic cardiomyopathy. Assessment with radionuclide cineangiography 602
SULLIVAN I D (& Davies D W, Sowton E) Submaximal exercise testing early after myocardial infarction. Prognostic importance of exercise induced ST segment elevation 147

— *see also* Robinson P J *et al*
Suzuki Y *see* Tamaki S *et al*
Swedberg K *see* Kramer P H *et al*

Takeshita A *see* Imaizumi T *et al*
Talsma M (& Vegting M, Hess J) Generalised Coxsackie A9 infection in a neonate presenting with pericarditis: case report 683
Tamaki N *see* Tamaki S *et al*
Tamaki S (& Kadota K, Kambara H, Suzuki Y, Nohara R, Murakami T, Kawai C, Tamaki N, Torizuka K) Emission computed tomography with technetium-99m pyrophosphate for delineating location and size of acute myocardial infarction in man 30
— (& Kambara H, Kadota K, Suzuki Y, Nohara R, Kawai C, Tamaki N, Torizuka K) Improved detection of myocardial infarction by emission computed tomography with thallium-201. Relation to infarct size 621
Tarazi R C *see* Mujais S K *et al*
Teisseire B *see* Geschwind H J *et al*
Terrosu P (& Ibba G V, Contini G M, Franceschino V) Angiographic features of the coronary arteries during intracoronary thrombolysis 154
Textor S C *see* Mujais S K *et al*
Thomas G D H *see* Gerlis L M *et al*
Thompson D S *see* Wilmshurst P T *et al*
Thomsen P E B *see* Rasmussen K *et al*
Timmis A D (& Smyth P, Kenny J F, Campbell S, Jewitt D E) Effect of vasodilator treatment with felodipine on haemodynamic responses to treadmill exercise in congestive heart failure 314
Toda H *see* Watanabe Y *et al*
Toft A D *see* Forfar J C *et al*
Torizuka K *see* Tamaki S *et al*
Travis P *see* Ewing D J *et al*
Tsuji S *see* Imaizumi T *et al*
Tynan M *see* Allan L D *et al*
Tynan M J *see* Allan L D *et al*
Baker E J *et al*

Upward J *see* Akhras F *et al*

Valfre C *see* Rissoli G *et al*
Vallin H *see* Edhag O *et al*
Vanhees L *see* Fagard R *et al*
Vedin A *see* Angelhed J-E *et al*
Vegting M *see* Talsma M *et al*
Verheugt F W (& Lindenfeld J, Kirch D L, Steele P P) Left ventricular platelet deposition after acute myocardial infarction. An attempt at quantification using pool subtracted indium-111 platelet scintigraphy 490
Verney G I *see* Stone D L *et al*
Vesterlund T *see* Bagger J P *et al*
Veyrat C (& Gourtchiglouian C, Bas S, Abitbol G, Kalmanson D) Quantification of left to right shunt in atrial septal defect using systolic time intervals derived from pulsed Doppler velocimetry 633
Virjee J P *see* Channer K S *et al*
Vythilingum S *see* Manga P *et al*

Walesby R *see* Ribeiro P *et al*
Walker W S (& Reid K G, Hider C F, Davidson I A, Boulton F E, Yap P L) Successful cardiopulmonary bypass in diabetics with anaphylactoid reactions to protamine 112
Ward D E (& Bennett D H, Camm J) Mechanisms of junctional tachycardia showing ventricular pre-excitation 369
Watanabe Y (& Toda H, Nishimura M) Clinical electrocardiographic studies of bifid T waves 207
Watt A H (& Newcombe R G) Hypertrophic cardiomyopathy: a common disease with a good prognosis: correspondence 119
Webb-Peploe M M *see* Wilmshurst P T *et al*
Wiener I *see* Packer M *et al*
Wiersum J C *see* Brown A K *et al*
Wijns W *see* Fioretti P *et al*
Wilhelmsson C *see* Angelhed J-E *et al*
Williams G J *see* Gerlis L M *et al*
Williams S Cederholm- *see* Cederholm-Williams S
Wilmshurst P T (& Thompson D S, Juul S M, Jenkins B S, Coltart D J, Webb-Peploe M M) Comparison of the effects of amrinone and sodium nitroprusside on haemodynamics, contractility, and myocardial metabolism in patients with cardiac failure due to coronary artery disease and dilated cardiomyopathy 38
Wilson N (& Dickinson D F, Goldberg S J, Scott O) Pulmonary artery velocity patterns in ductus arteriosus 462
— *see also* Gerlis L M *et al*
Wisbey C *see* Petch M C *et al*
Wright H M *see* Gerlis L M *et al*
Wyse R K H (& Robinson P J, Deanfield J E, Pedoe D S T, Macartney F J) Use of continuous wave Doppler ultrasound velocimetry to assess the severity of coarctation of the aorta by measurement of aortic flow velocities 278
— *see also* Robinson P J *et al*

Yamamoto K *see* Imaizumi T *et al*
Yap P L *see* Walker W S *et al*
Yushak M *see* Packer M *et al*

Zezulka A (& Shapiro L, Singh S) Chronic haemolytic anaemia in hypertrophic cardiomyopathy: case report 474
— *see also* Shapiro L M & Zezulka A
Zuppiroli A *see* Cecchi F *et al*

SUBJECT INDEX

1984, Volume 52

Absent or occult pulmonary artery (Presbitero *et al*). 178
  right superior vena cava and sinus node dysfunction, endocardial pacing: case report (Ramsdale & Charles). 230
Afterload reduction, dihydralazine induced, effect on systolic time intervals and echocardiography, healthy subjects (Stern *et al*). 435
Alcoholism, thiamine deficiency and transketolase activity: correspondence (Dancy *et al*: Engbers *et al*). 688
Amrinone and sodium nitroprusside, comparison of effects in cardiac failure due to coronary artery disease and dilated cardiomyopathy (Wilmshurst *et al*). 38
Amyloidosis, cardiac
  non-invasive assessment of presence and severity (Eriksson *et al*). 321
  in young man presenting with angina pectoris: case report (Saltissi *et al*). 233
Aneurysms, left ventricular, computed tomographic assessment (Foster *et al*). 332
Angina pectoris
  coronary artery disease and aortic stenosis: correspondence (Hancock: Fitzgerald *et al*: Oakley). 689
  different mechanisms for relief after coronary bypass surgery, physiological versus anatomical assessment (Ribeiro *et al*). 502
  computer aided exercise electrocardiographic testing and coronary arteriography (Angelhed *et al*). 140
  and primary cardiac amyloidosis: case report (Saltissi *et al*). 233
  threshold, alterations with nifedipine during pacing induced angina (Kramer *et al*). 308
Angiocardiography, contrast agents: review (Hayward & Dawson). 361
Angioplasty
  Nd-YAG laser, effective conditions (Geschwind *et al*). 484
  percutaneous transluminal *see* Percutaneous transluminal angioplasty
Antithyroid treatment, delayed recovery of left ventricular function after, further evidence for reversible abnormalities of contractility in hyperthyroidism (Forfar *et al*). 215
Aortic
  atresia with double inlet left ventricle, rudimetary left sided right ventricle, and ventriculoarterial discordance: case report (Bullaboy & Harned). 349
  flow velocities, measurement, use of continuous wave Doppler ultrasound velocimetry to assess severity of coarctation of the aorta (Wyse *et al*). 278
  regurgitation chronic, relation of midwall circumferential systolic stress to equatorial midwall fibre shortening, value as predictor of postoperative outcome (Almeida *et al*). 284
  root abscess complicating bacterial endocarditis, computed tomography demonstration: case report (Cowan *et al*). 591
  stenosis, calcific, HV interval (Rasmussen *et al*). 82
    echocardiographic changes in left ventricular minor axis dimensions during exercise (Dancy *et al*). 446
  valve disease, congenital, associated with coronary artery obstruction: case report (Gibbs *et al*). 585
    stenosis, isolated, and prevalence of coronary artery disease: correspondence (Hancock: Fitzgerald *et al*: Oakley). 689
Aortitis, distal, complicating Reiter's syndrome: case report (Morgan *et al*). 115
Aortocoronary bypass grafts, stenosed, percutaneous transluminal angioplasty (El Gamal *et al*). 617
Arrhythmias
  internal transvenous low energy cardioversion for treatment (Nathan *et al*). 377
  symptomatic, patients less than 50 years (Abdon *et al*). 660
Atherosclerotic lesions of coronary arteries, morphological appearance: correspondence (Soloff). 120
Athletes
  bradycardia, embolising disorder, symptomatic arrhythmias in patients less than 50 years (Abdon *et al*) 660
  cardiac hypertrophy: editorial (Oakley). 121
  physiological left ventricular hypertrophy (Shapiro). 130
  see also Cyclists, Runners
Atrium(al)
  fibrillation, chronic, digitalised patients, effect of Corwin (ICI 118587) on resting and exercise heart rate and exercise tolerance (Molajo *et al*). 392
  left, primary malignant fibrous histiocytoma, surgical and chemotherapeutic management: case report (Eckstein *et al*). 354
    size, effect on oesophageal transit of capsules (Channer *et al*). 223
  pacing, rapid, effect of haemodynamic changes on determination of sinus node recovery time (Griebenow *et al*). 87
Atrioventricular septal defects, operative risk of correction (Rizzoli *et al*). 258

Bacterial endocarditis, complicated by aortic root abscess, computed tomography demonstration: case report (Cowan *et al*). 591
Baroreflex control, impaired, of vascular resistance and heart rate in myocardial infarction (Imaizumi *et al*). 418
Behçet's syndrome presenting as myocardial infarction, with impaired blood fibrinolysis: case report (Hutchinson & Belch). 686
Beta blockade in coronary artery disease, acute haemodynamic effects of felodipine (Culling *et al*). 431
Bifascicular block during anterior myocardial infarction, pacemaker dependence (Edhag *et al*). 408
Blalock-Taussig operation, modified, using polytetrafluorethylene (Impra) grafts: correspondence (Greenwald & Berry: Kay *et al*). 594
Blood pressure, circadian rhythm, in patients dependent on ventricular demand pacemakers (Davies *et al*). 93
Bradycardia, athlete's, embolising disorder, symptomatic arrhythmias, patients less than 50 years (Abdon *et al*). 660

Captopril in heart failure, double blind controlled trial (Cleland *et al*). 530
Cardiac parasympathetic activity, assessment using 24 hour electrocardiograms (Ewing *et al*). 396
  performance, renal failure, various stages (Pehrsson *et al*). 667
  structure and function, cyclists and runners, comparative echocardiographic study (Fagard *et al*). 124
  surgery, innovative, ethics: editorial (Shinebourne). 597
  transplantation, United Kingdom, report from Council of the British Cardiac Society (November 1983). 679
Cardiology at the crossroads: editorial (Goodwin). 481
Cardiomyopathy
  dilated, comparison of amrinone and sodium nitroprusside (Wilmshurst *et al*). 38
  western Denmark (Bagger *et al*). 327
  See also Hypertrophic cardiomyopathy
Cardiopulmonary bypass, successful, in diabetics with anaphylactoid reactions to protamine (Walker *et al*). 112
Cardioversion, internal transvenous low energy, for treatment of

arrhythmias (Nathan *et al*). 377
Cardioverter, implantable, prototype, for ventricular tachycardia, assessment (Perelman *et al*). 385
Catheterisation
left heart, cholesterol embolism as complication, seven cases (Drost *et al*). 339
study of consent to procedures (Fraser). 468
Cholesterol embolism as complication of left heart catheterisation, seven cases (Drost *et al*). 339
Chordal rupture, aetiology and natural history: correspondence (Alpan *et al*: Oliveira). 595
Circadian rhythm of blood pressure in patients dependent on ventricular demand pacemakers (Davies *et al*). 93
Coarctation of the aorta
evolution in intrauterine life: case report (Allan *et al*). 471
use of continuous wave Doppler ultrasound velocimetry to assess severity by measurement of aortic flow velocities (Wyse *et al*). 278
Cold stimulation, effect on myocardial perfusion, thallium-201 scintigraphy (Rodger *et al*). 57
Computed tomography
coronary artery bypass grafts (Foster *et al*). 24
left ventricular aneurysms (Foster *et al*). 332
hypertrophic cardiomyopathy (Stone *et al*). 136
Computer aided exercise electrocardiographic testing and coronary arteriography, in patients with angina pectoris and myocardial infarction (Angelhed *et al*). 140
Conduction system, cardiac, and pathology of the heart, Wegener's granulomatosis (Allen *et al*) 674
Congenital heart disease
fetal, echocardiographic and anatomical correlations (Allan *et al*). 542
pulmonary vascular disease in different types (Haworth). 557
Congestive heart failure, increased plasma cyclic nucleotide concentrations (Ogawa *et al*). 524
Consent to procedures, study on cardiac catheterisation (Fraser). 468
Constrictive pericarditis, pulsatile hepatomegaly (Manga *et al*). 465
Contrast agents in angiocardiography: review (Hayward & Dawson). 361
Coronary
angiographic findings and heart rate/ST slope, correlation (Balcon *et al*). 304
arteriography and computer aided exercise electrocardiographic testing, in patients with angina pectoris and myocardial infarction (Angelhed *et al*). 140
artery aneurysms and Kawasaki's disease, adult: correspondence (Oliveira). 480
angiographic features during intracoronary thrombolysis (Terrosu *et al*). 154
atherosclerotic lesions, morphological appearance: correspondence (Soloff). 120
bypass grafts, computed tomographic assessment (Foster *et al*). 24
surgery, elective, and early exercise testing, after uncomplicated myocardial infarction (Akhras *et al*). 413
different mechanisms for relief of angina after, physiological versus anatomical assessment (Ribeiro *et al*). 502
disease, Asians, Birmingham (Lowry *et al*). 610
beneficial effects of diltiazem (Kenny *et al*). 53
beta blockade in, acute haemodynamic effects of felodipine (Culling *et al*). 431
comparison of amrinone and sodium nitroprusside (Wilmshurst *et al*). 38
hypercoagulability (O'Connor *et al*). 614
left ventricular function, assessment with nuclear probe intervention studies (Lahiri *et al*). 422
prevalence in patients with isolated aortic valve stenosis: correspondence (Hancock: Fitzgerald *et al*: Oakley). 689
fistula, spontaneous closure: case report (Hackett & Hallidie-Smith). 477
left anomalous origin from pulmonary trunk, potential for false negative diagnosis with cross sectional echocardiography (Robinson *et al*). 272
obstruction associated with congenital aortic valve disease: case report (Gibbs *et al*). 585
vein grafting, Ehlers-Danlos syndrome: case report (Redington *et al*). 237
atherosclerosis, progression (Singh) 451
sinus orifice atresia and persistent left superior vena cava, two cases (Gerlis *et al*). 648
Correspondence
Chordal rupture: aetiology and natural history (Alpan *et al*: Oliveira). 595
Coronary artery aneurysms and Kawasaki's disease in an adult (Oliveira). 480
Effect of metoprolol on chest pain in acute myocardial infarction (Ernst & Matrai). 240
Hypertrophic cardiomyopathy: a common disease with a good prognosis (Watt & Newcombe: Shapiro & Zezulka). 119
Ketanserin treatment in essential hypertension (Ernst & Matrai: Fagard *et al*). 359
Modified Blalock-Taussig operation using polytetrafluoroethylene (Impra) grafts (Greenwald & Berry: Kay *et al*). 594
Morphological appearance of atherosclerotic lesions of the coronary arteries (Soloff). 120
Prevalence of coronary artery disease in patients with isolated aortic valve stenosis (Hancock: Fitzgerald *et al*: Oakley). 689
QT interval: predictor of the plasma and myocardial concentrations of amiodarone (Brown *et al*). 240
Shoshin beriberi: a rare diagnostic problem (Dancy *et al*: Engbers *et al*). 688
Sotalol, hypokalaemia, syncope, and torsade de pointes (Antonaccio *et al*: McKibbin *et al*). 358
Corwin (ICI 118587), effect on resting and exercise heart rate and exercise tolerance in digitalised patients with chronic atrial fibrillation (Molajo *et al*). 392
Coxsackie A9 infection, generalised, in neonate presenting with pericarditis: case report (Talsma *et al*). 683
Cyclic nucleotide, plasma, concentrations, increased, in congestive heart failure (Ogawa *et al*). 524
Cyclists and runners, cardiac structure and function, comparative echocardiographic study (Fagard *et al*). 124
Cyst, intrapericardial haematic, left superior vena cava atresia: case report (Cabrera *et al*). 352

Diabetics, with anaphylactoid reactions to protamine, successful cardiopulmonary bypass (Walker *et al*). 112
Digitalised patients with chronic atrial fibrillation, effect of Corwin (ICI 118587) on resting and exercise heart rate and exercise tolerance (Molajo *et al*). 392
Dihydralazine induced afterload reduction influence on systolic time intervals and echocardiography, healthy subjects (Stern *et al*). 435
Diltiazem, in coronary artery disease, beneficial effects (Kenny *et al*). 53
Doppler
ultrasound velocimetry, continuous wave, use to assess severity of coarctation of aorta by measurement of aortic flow velocities (Wyse *et al*). 278
velocimetry, continuous wave, as adjunct to cross sectional echocardiography, diagnosis of critical left heart obstruction, neonates (Robinson *et al*). 552
pulsed, systolic time intervals, quantification of left to right shunt in atrial septal defect (Veyrat *et al*). 633
Double outlet right ventricle, cross sectional echocardiographic

findings, anatomical explanation and surgical relevance (Macartney *et al*). 164
Ductus arteriosus, pulmonary artery velocity patterns (Wilson *et al*). 462

Editorial
Cardiac hypertrophy in athletes (Oakley). 121
Cardiology at the crossroads (Goodwin). 481
Ethics of innovative cardiac surgery (Shinebourne). 597
Ehlers-Danlos syndrome, coronary artery vein grafting: case report (Redington *et al*). 237
Embolising disorder and athlete's bradycardia (Abdon *et al*). 660
Emission computed tomography
with technetium-99m pyrophosphate, for delineating location and size of acute myocardial infarction, man (Tamaki *et al*). 30
with thallium-201, improving detection of myocardial infarction, relation to infarct size (Tamaki *et al*). 621
Eosinophilic myocarditis, acute necrotising (Herzog *et al*). 343
Ethics of innovative cardiac surgery: editorial (Shinebourne). 597
Exercise
in aortic stenosis, echocardiographic changes in left ventricular minor axis dimension (Dancy *et al*). 446
submaximal, testing, early after myocardial infarction, prognostic importance of exercise induced ST segment elevation (Sullivan *et al*). 147
testing, early, and elective coronary artery bypass surgery after uncomplicated myocardial infarction (Akhras *et al*). 413

Felodipine
acute haemodynamic effects during beta blockade in coronary artery disease (Culling *et al*). 431
during exercise in heart failure (Timmis *et al*). 314
Fibrinolysis, blood, impaired, and Behçet's syndrome presenting as myocardial infarction: case report (Hutchison & Belch). 686
First heart sound, loud, in left atrial myxoma (Gershlick *et al*). 403
Fontan procedure, pulmonary vascular structure in patients dying after, lung as risk factor (Juaneda & Haworth). 575

Glyceryl trinitrate, potential deleterious haemodynamic effects on myocardial ischaemia in man (Ihlen *et al*) 510

Haemolytic anaemia, chronic, in hypertrophic cardiomyopathy: case report (Zezulka *et al*). 474
Heart
disease, symptomatic, presentation in infancy based on 10 years' experience (1973–83) (Scott *et al*). 248
failure, captopril, double blind controlled trial (Cleland *et al*). 530
congestive, transient renal dysfunction during initial inhibition of converting enzyme (Mujais *et al*). 63
felodipine during exercise (Timmis *et al*). 314
severe, acute haemodynamic effects of oral prenalterol (Petch *et al*). 49
rate/ST slope and coronary angiographic findings, correlation, (Balcon *et al*). 304
Hepatomegaly, pulsatile, in constrictive pericarditis (Manga *et al*). 465
Histiocytoma, primary malignant fibrous, left atrium, surgical and chemotherapeutic management: case report (Eckstein *et al*). 354
HV interval in calcific aortic stenosis (Rasmussen *et al*). 82
Hypercoagulability, and coronary artery disease (O'Connor *et al*). 614
Hypertension, essential, ketanserin treatment: correspondence (Ernst & Matrai: Fagard *et al*). 359
Hypertrophic cardiomyopathy
chronic haemolytic anaemia: case report (Zezulka *et al*). 474
common disease with good prognosis: correspondence (Watt & Newcombe: Shapiro & Zezulka). 119
computed tomography (Stone *et al*). 136
relation between left ventricular gradient and relative stroke volume (Sugrue *et al*). 602
see also Cardiomyopathy
Hypertrophy, cardiac, in athletes: editorial (Oakley). 121
Hypokalaemia, syncope, torsade de pointes, and sotalol: correspondence (Antonaccio *et al*: McKibbin *et al*). 358
Hypotension, orthostatic, and central nervous system involvement, indomethacin in (Imaizumi *et al*). 581

Indomethacin in orthostatic hypotension and central nervous system involvement (Imaizumi *et al*). 581
Infancy, presentation of symptomatic heart disease, based on 10 years' experience (1973–82) (Scott *et al*). 248
Intrapericardial haematic cyst, left superior vena cava atresia: case report (Cabrera *et al*). 352

Junctional tachycardia, mechanisms, showing ventricular preexcitation (Ward *et al*). 369

Kawasaki's disease and coronary artery aneurysms, adult: correspondence (Oliveira). 480
Ketanserin treatment in essential hypertension: correspondence (Ernst & Matrai: Fagard *et al*). 359

Laser, *see* Nd-Yag laser
Left
heart obstruction, neonates, continuous wave Doppler velocimetry as adjunct to cross sectional echocardiography in diagnosis (Robinson *et al*). 552
to right shunt, atrial septal defect, quantification using systolic time intervals derived from pulsed Doppler velocimetry (Veyrat *et al*). 633
Left ventricle *see* Ventricle, left
Lewis, Sir Thomas, pebbles and storms (James). 1
Lignocaine, efficacy in prophylaxis of primary ventricular fibrillation in myocardial infarction (Kertes & Hunt). 241
Löffler's endocarditis, three patients (Herzog *et al*). 343

Metoprolol, effect on chest pain in acute myocardial infarction: correspondence (Ernst & Matrai). 240
Midwall circumferential systolic stress, relation to equatorial midwall fibre shortening in chronic aortic regurgitation, value as predictor of postoperative outcome (Almeida *et al*). 284
Mitral valve
abnormalities in patients with right ventricular pressure overload, analysis by real time cross sectional echocardiography (Nagata *et al*). 186
replacement, first three months of life (Pollock *et al*). 549
Myocardial
infarction, emission computed tomography with technetium-99m pyrophosphate for delineating location and size (Tamaki *et al*). 30
left ventricular platelet deposition, attempt at quantification using blood pool subtracted indium-111 platelet scintigraphy (Verheugt *et al*). 490
effect of metoprolol on chest pain: correspondence (Ernst & Matrai). 240
anterior, bifascicular block during, pacemaker dependence (Edhag *et al*). 408
and Behçet's syndrome, with impaired blood fibrinolysis: case report (Hutchinson & Belch). 686
computer aided exercise electrocardiographic testing and coronary arteriography (Angelhed *et al*). 140
diurnal variation and reproducibility of predischarge submaximal exercise testing (Handler & Sowton). 299
hospital survivors, prediction of mortality, (Fioretti *et al*). 292
impaired baroreflex control of vascular resistance and heart rate (Imaizumi *et al*). 418
improved detection by emission computed tomography with thallium-201, relation to infarct size (Tamaki *et al*). 621
inferior, implications of precordial ST segment depression during, arteriographic and ventriculographic correlations during

acute phase (Cohen *et al*). 497
prophylaxis of primary ventricular fibrillation, case against lignocaine (Kertes & Hunt). 241
submaximal exercise testing early after, prognostic importance of exercise induced ST segment elevation (Sullivan *et al*). 147
uncomplicated, early exercise testing and elective coronary artery bypass surgery (Akhras *et al*). 413
ischaemia, pacing induced, effect of timolol maleate (Daly *et al*). 628
potential deleterious haemodynamic effects of glycerl trinitrate (Ihlen *et al*). 510
perfusion, effect of cold stimulation, thallium-201 scintigraphy (Rodger *et al*). 57
Myocarditis, eosinophilic, acute necrotising (Herzog *et al*). 343
Myxoma, left atrial, loud first heart sound (Gershlick *et al*). 403

Nd-YAG laser angioplasty, effective conditions (Geschwind *et al*). 484
Nifedipine, during pacing induced angina, alterations in angina threshold (Kramer *et al*). 308
Notices 120, 239, 360, 480, 596, 689
Nuclear probe, assessing left ventricular function in coronary artery disease during intervention studies (Lahiri *et al*). 422

Obstructive lesions of the systemic circulation, effect of prostaglandin on early surgical mortality (Leoni *et al*). 654
Oesophageal transit of capsules, effect of left atrial size (Channer *et al*). 223
Orthostatic hypotension and central nervous system involvement, indomethacin in (Imaizumi *et al*). 581

Pacemakers
dependence in patients with bifascicular block during anterior myocardial infarction (Edhag *et al*). 408
ventricular demand, circadian rhythm of blood pressure (Davies *et al*). 93
Pacing induced myocardial ischaemia, effect of timolol maleate (Daly *et al*). 628
Percutaneous transluminal angioplasty
of stenosed aortocoronary bypass grafts (El Gamal *et al*). 617
coronary, pathological findings after: case report (Mizuno *et al*). 588
Pericarditis, in a neonate, and generalised Coxsackie A9 infection: case report (Talsma *et al*). 683
Persistent left superior vena cava and coronary sinus orifice atresia, two cases (Gerlis *et al*). 648
Polytetrafluoroethylene (Impra) grafts, in modified Blalock-Taussig operation: correspondence (Greenwald & Berry: Kay *et al*). 594
Predischarge submaximal exercise testing after myocardial infarction, diurnal variation and reproducibility (Handler & Sowton). 299
Prenalterol, oral, in severe heart failure, acute haemodynamic effects (Petch *et al*). 49
Prostaglandin, effect on early surgical mortality in obstructive lesions of systemic circulation (Leoni *et al*). 654
Protamine, successful cardiopulmonary bypass in diabetes with anaphylactoid reactions (Walker *et al*). 112
Pulmonary
artery, absent or occult (Presbitero *et al*). 178
velocity patterns in ductus arteriosus (Wilson *et al*). 462
hypertension, primary, detrimental effects of verapamil (Packer *et al*). 106
severe, and small ventricular septal defect: case report (Blieden & Moller). 117
perfusion, multifocal, radionuclide demonstration (Baker *et al*). 72
trunk, anomalous origin of left coronary artery, potential for false negative diagnosis with cross sectional echocardiography (Robinson *et al*). 272
valve prolapse, significance, cross sectional echocardiographic study (Robinson *et al*). 266
vascular disease in different types of congenital heart disease (Haworth). 557
structure in patients dying after a Fontan procedure, lung as risk factor (Juaneda & Haworth). 575

QT interval, predictor of the plasma and myocardial concentrations of amiodarone: correspondence (Brown *et al*). 240

Radionuclide
cineangiography in hypertrophic cardiomyopathy (Sugrue *et al*). 602
demonstration of multifocal pulmonary perfusion (Baker *et al*). 72
measurement of left ventricular ejection fraction, tricuspid atresia (Baker *et al*). 572
Reiter's syndrome, complicated by distal aortitis: case report (Morgan *et al*). 115
Renal
dysfunction, transient, during initial inhibition of converting enzyme in congestive heart failure (Mujais *et al*). 63
failure, various stages, cardiac performance (Pehrsson *et al*). 667
RR interval variation, 24-hour, in cardiac parasympathetic activity (Ewing *et al*). 396
Runners and cyclists, cardiac structure and function, comparative echocardiographic study (Fagard *et al*). 124

Shoshin beriberi, rare diagnostic problem: correspondence (Dancy *et al*: Engbers *et al*). 688
Sick sinus syndrome and athlete's bradycardia (Abdon *et al*). 660
Sinus node
dysfunction, and absent right superior vena cava, endocardial pacing: case report (Ramsdale & Charles). 230
recovery time, determination, effect of haemodynamic changes during rapid atrial pacing (Griebenow *et al*). 87
Sodium nitroprusside and amrinone, comparison of effects in cardiac failure due to coronary artery disease and dilated cardiomyopathy (Wilmshurst *et al*). 38
Sotalol, hypokalaemia, syncope, and torsade de pointes: correspondence (Antonaccio *et al*: McKibbin *et al*). 358
ST segment, precordial, depression, implications during acute inferior myocardial infarction, arteriographic and ventriculographic correlations during acute phase (Cohen *et al*). 497
Staffing in cardiology: editorial (Goodwin). 481
Superior vena vava
absent right, and sinus node dysfunction, endocardial pacing: case report (Ramsdale & Charles). 230
left, atresia, intrapericardial haematic cyst: case report (Cabrera *et al*). 352
persistent, and coronary sinus orifice atresia, two cases (Gerlis *et al*). 648
Syncope, torsade de pointes, hypokalaemia, and sotalol: correspondence (Antonaccio *et al*: McKibbin *et al*). 358
Systolic time intervals and echocardiography, influence of dihydralazine induced afterload reduction, healthy subjects (Stern *et al*). 435

T waves, bifid, clinical electrocardiographic studies (Watanabe *et al*). 207
Tachycardia, junctional, mechanisms, showing ventricular preexcitation (Ward *et al*). 369
Technetium-99m pyrophosphate, emission computed tomography, for delineating location and size of acute myocardial infarction, man (Tamaki *et al*). 30
Tetralogy of Fallot
cross sectional echocardiographic assessment of left ventricular volume and ejection fraction, comparison with biplane angio-

graphic measurements (Obernhänsli & Friedli). 191
factors affecting left ventricular function after correction (de Lorgeril *et al*). 536
surgically corrected, life threatening ventricular tachycardias in late survivors (Dunnigan *et al*). 198
unrepaired and repaired, ventricular arrhythmia, relation to age, timing of repair, and haemodynamic status (Deanfield *et al*). 77
Thallium-201 scintigraphy, effect of cold stimulation on myocardial perfusion (Rodger *et al*). 57
Thiamine deficiency and alcoholism: correspondence (Dancy *et al*: Engbers *et al*). 688
Thrombolysis, intracoronary, coronary arteries during, angiographic features (Terrosu *et al*). 154
Timolol maleate, effect on pacing induced myocardial ischaemia (Daly *et al*). 628
Torsade de pointes, hypokalaemia, syncope, and sotalol: correspondence (Antonaccio *et al*: McKibbin *et al*). 358
Transketolase activity, alcoholism, and thiamine deficiency: correspondence (Dancy *et al*: Engbers *et al*). 688
Transplantation, cardiac *see* Cardiac transplantation
Tricuspid atresia, radionuclide measurement of left ventricular ejection fraction (Baker *et al*) 572
Truncus arteriosus, valvar stenosis (Gerlis *et al*). 440

Valvar stenosis in truncus arteriosus (Gerlis *et al*). 440
Ventricle (ventricular)
aneurysms, left, computed tomographic assessment (Foster *et al*). 332
arrhythmia, in unrepaired and repaired tetralogy of Fallot, relation to age, timing of repair, and haemodynamic status (Deanfield *et al*). 77
fibrillation, primary, in acute myocardial infarction, prophylaxis, case against lignocaine (Kertes & Hunt). 241
left bands, normal anatomical feature (Gerlis *et al*). 641
ejection fraction, tricuspid atresia, radionuclide measurement (Baker *et al*). 572
function in coronary artery disease, assessment with nuclear probe during intervention studies (Lahiri *et al*). 422
after correction of tetralogy of Fallot, factors affecting (de Lorgeril *et al*). 536
delayed recovery after antithyroid treatment, further evidence for reversible abnormalities of contractility in hyperthyroidism (Forfar *et al*). 215
relation of regional echo amplitude and electrocardiogram in left ventricular hypertrophy (Shapiro *et al*). 99
hypertrophy, physiological (Shapiro) 130
relation between electrocardiographic repolarisation changes and mechanical events (Moore *et al*). 516
relation of regional echo amplitude to left ventricular function and electrocardiogram (Shapiro *et al*). 99
minor axis dimensions, echocardiographic changes during exercise in aortic stenosis (Dancy *et al*). 446
platelet deposition after acute myocardial infarction, attempt at quantification using blood pool subtracted indium-111 platelet scintigraphy (Verheugt *et al*). 490
pre-excitation, mechanisms of junctional tachycardia showing (Ward *et al*). 369
right, pressure overload, mitral valve abnormalities, analysis by real time cross sectional echocardiography (Nagata *et al*). 186
septal defect, small, associated with severe pulmonary hypertension: case report (Blieden & Moller). 117
hypertrophy, transient asymmetric, in the newborn, unassociated with maternal diabetes: case report (Cecchi *et al*). 228
tachycardia, assessment of prototype implantable cardioverter (Perelman *et al*). 385
life threatening, in late survivors of surgically corrected tetralogy of Fallot (Dunnigan *et al*). 198
Ventriculoarterial discordance, and aortic atresia with double inlet left ventricle and rudimentary left sided right ventricle: case report (Bullaboy & Harned). 349
Verapamil, detrimental effects in primary pulmonary hypertension (Packer *et al*). 106

Wegener's granulomatosis, pathology of the heart and cardiac conduction system (Allen *et al*). 674